

AMENDMENTS TO THE CLAIMS

1. Cancel
2. Cancelled
3. Cancelled
4. Cancelled

BEST AVAILABLE COPY

5. (Currently Amended) An apparatus for reversing flow of inspiratory gas through a unilimb breathing circuit for humidification of the inspiratory gas, said apparatus comprising:

a reverse flow adapter comprising a venting aperture, said reverse flow adapter adapted to be coupled to an inner tube and an outer tube of the unilimb breathing circuit, wherein the inspiratory gas flows through said reverse flow adapter and subsequently through the outer tube of the unilimb breathing circuit, and wherein said venting aperture is in fluid communication with the inner tube of the unilimb breathing circuit;

wherein the outer tube retains moisture deposited therein via condensation of moisture from patient expiratory gases;

wherein said reverse flow adapter is adapted to be coupled to a conventional inspiratory gas source; and,

wherein inspiratory gas flows from the conventional inspiratory gas source, through said reverse flow adapter, through the outer tube, and subsequently interacts with and is humidified by

said moisture condensed within the outer tube, thereby creating a humidified inspiratory gas for patient inhalation.

6. (Previously Added) The apparatus of Claim 5, wherein the outer tube is coaxially disposed about the inner tube of the unilimb breathing circuit.

7. Cancel

8. Cancel

9. Cancel

10. (Currently Amended) The apparatus of ~~Claim 9~~ Claim 5, wherein a face tent coupled to the outer tube is worn by the patient during inhalation of said humidified inspiratory gas.

11. (Previously Added) The apparatus of Claim 10, wherein patient exhaled gas flows through the inner tube of the unilimb breathing circuit, through said reverse flow adapter, and exits from said venting aperture of said reverse flow adapter.

12. (Currently Amended) The apparatus of ~~Claim 7~~ Claim 5, wherein said moisture is deposited within the unilimb breathing circuit via condensation of patient expiratory gases released or expelled by a sedated patient undergoing a medical procedure requiring administration of anesthesia or other inspiratory gases to the patient during performance of the medical procedure.

13. (Previously Added) The apparatus of Claim 12, wherein the unilimb breathing circuit utilized to administer anesthesia or other inspiratory gases to the patient during performance of the medical procedure is thereafter utilized to convey and humidify subsequently administered oxygen gas or other inspiratory gas delivered to the patient recovering from sedative effects of the inspiratory gases administered during performance of the medical procedure, the subsequently administered gas humidified via said moisture accumulated within the outer tube of the unilimb breathing circuit via condensation of the patient expiratory gases previously released by the sedated patient.

14. (Previously Added) The apparatus of Claim 5, wherein the unilimb breathing circuit is equipped with a coaxial filter in fluid communication with the outer tube and the inner tube.

15. (Previously Added) The apparatus of Claim 5, further comprising a flow diluter.

16. (Previously Added) The apparatus of Claim 5, further comprising an intermediate adapter dimensioned to engage said reverse flow adapter, said intermediate adapter comprising a nipple, said nipple comprising a passageway formed therethrough for the exit of inspiratory gases therefrom, wherein said nipple is dimensioned to be received by a connector formed on a nasal cannula assembly or a simple facemask assembly.

17. (Currently Amended) An apparatus for reversing flow of inspiratory gas through a unilimb breathing circuit for humidification of the inspiratory gas, said apparatus comprising:

a reverse flow adapter comprising a venting aperture, said reverse flow adapter adapted to be coupled to the unilimb breathing circuit, wherein said reverse flow adapter comprises an inlet, said venting aperture formed through said inlet, and wherein said inlet further comprises a flow aperture for permitting inspiratory gases flowing from a central inspiratory gas source to flow therethrough and pass through said inlet;

wherein said inlet is adapted to be coupled to an outer expiratory tube of the unilimb breathing circuit, resulting in said flow aperture being in fluid communication with an inner space of the outer expiratory tube, and wherein said venting aperture is in fluid communication with an inner space of an inner inspiratory tube of the unilimb breathing circuit;

wherein inspiratory gases flowing from a central inspiratory gas source flow through said flow aperture of said reverse flow adapter, into said inlet of said reverse flow adapter, and through the inner space of the outer expiratory tube; and,

wherein the inspiratory gases flowing through the outer expiratory tube interact with and are humidified by moisture from condensed expiratory gases deposited therein during a patient's prior exhalation, thereby creating a humidified inspiratory gas for patient inhalation.

18. Cancel

19. Cancel

20. Cancel

21. Cancel

22. (Currently Amended) The apparatus of ~~Claim 21~~ Claim 17, wherein patient exhaled gas flows through the inner inspiratory tube of the unilimb breathing circuit and exits from said venting aperture of said reverse flow adapter.

23. Cancel

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☒ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.